



### **NIPPON PAINT MATEX GOLD**

Nippon Paint Matex Gold is a premium emulsion which provides a smooth sheen finish to interior walls. It delivers excellent coverage, possess good washability and is low VOC, hence maintaining a healthy home.

### **GREEN ASSURED**











# **PRODUCT FEATURES**



### **Smooth Sheen Finish**

Gives the walls a smooth even finish by hiding uneveness



**Excellent Coverage** cost of paint is Low



### **Good Washability**

Trouble free cleaning of the walls



Low VOC

**Environment- Friendly** 











# **TECHNICAL DETAILS**

White & MG4, MG3, MG2, MG1, Red Base, Yellow Base Colour Range Please refer to Nippon Paint shade card and fan decks

Finish Smooth Sheen

**Dry Time** To Touch: 30 minutes To Recoat: 4-6 Hours

60° head: 0 to 10 units. Gloss level Clean up solvent Clean, potable water

Stability of diluted paint 24 Hours

Shelf life 3 Years from the date of manufacture in original tightly closed

Dilution 50-60% by volume with clean, potable water.

Stir well before use. 20-30% by volume with potable water for

dark shades.

## Coverage:



### **MATEX GOLD**

24.15 - 27.87 sq.mt./litre/coat & 12.08 - 13.94 sq.mt./litre/2 coats

(Actual coverage is dependant on the substrate condition, Film Thickness, surface porosity, method of application)

## **HOW TO APPLY**

# **Surface Preparation:**



Keep surface clean & dry. Remove dust, dirt, grease and any flaking paint from the surface and sand to smooth. Ensure there is no fungus or moisture on the wall.

# **Application**:

Brush: Dilute both 1st and 2nd coats with 50-60% water Dilute both 1st and 2nd coats with 50-60% water Roller:

Conventional Spray: Dilute both 1st and 2nd coats with 30% water

### Process:





Interior Primer

Apply 1 coat

Allow it to dry for 6-8 hours



Nippon Paint Acrylic Wall Putty

Apply 1-2 coats

Allow it to dry for 12-18 hours



Primer Nippon Paint Multi-Purpose Wall Sealer/ Interior Primer

Apply 1 coat

Allow it to dry for 6-8 hours



Top Coat Nippon Paint Matex Gold

Apply 2-3 coats

Allow it to dry for 4-6 hours

# **SAFETY AND ENVIRONMENT**

#### **During Painting:**

Always work in a well ventilated area. Wear appropriate attire, especially gloves and eye protection gear. Avoid contact with skin as it may cause irritation.

Clean all equipments with clean water immediately after use.

#### Safety Instructions:

In the case of eye contact, rinse immediately with water and seek immediate medical treatment. To remove paint from skin, use soap and water or appropriate cleanser. In the event of spillage, contain and collect spilt paint by using sand or earth.

#### Precautions:

Avoid painting when the temperature is below 10 degrees Celsius. Painting is not recommended if the moisture content and alkalinity of the walls is high. Moisture content of the walls should be below 16% (measured by Protimeter) and alkalinity of the wall should be below pH-9. Relative humidity should be below 85%. Painting on a newly plastered wall is recommended after 12 weeks of curing.

Store paint in a cool, dry and well ventilated place away from heat sources, flammables or direct sunlight. Keep container tightly closed in a secure, upright position. Do not store near food, drink or animal feed. Keep out of reach of children. Do not dispose of unwanted paint into drains, water sources or open sewers. To dispose safely, pour unwanted paint onto old newspapers and let dry before placing in a proper waste receptacle.

#### **Disposal Information:**

Disposal of any paint waste & containers in accordance with applicable Environment (Protection) Act 1986 under the Hazardous Wastes (Management & Handling) rules 1989.

#### **Environment:**

Does not contain any added lead, mercury or chromium compounds. Lead content does not exceed 90 parts per million.

